

## NORMES ET FRAIS TECHNIQUES DES ENCARTS 2019

mars-19

### FRAIS TECHNIQUES

Tarifs au 1000

ENCART BROCHE		margeur normal	
		7,00 €	
2 pages et +			
2 pages - Scent-strip® sur recto			
ENCART BROCHE - margeur à plat		margeur à plat	
		9,00 €	
Magnastrap de 4 à 24 pages			
4 pages avec échantillon collé à l'intérieur			
4 pages - Scent-strip® en p. 2 ou 3			
2 pages - Scent seal® sur recto ou V°			
2 pages - Scent seal® surverso			
4 pages - Scent seal® en p. 2 ou 3			
2 pages - Beautyseal® ou Lipseal® sur recto ou verso			
ENCART BROCHE - margeur retourneur		margeur retourneur	
		18,00 €	
4 pages et plus - détachables			
2 pages - Scent-strip® sur verso			
ENCART COLLE SUR UNE PAGE DE PUBLICITE			
<i>Sous réserve accord éditeur</i>			
Carte		25,00 €	
4 pages et + (booklet - leaflet)		Nous consulter	
Echantillon		35,00 €	

**NORMES TECHNIQUES**Format du magazine : **195 X 260** mm (L X H)

MAQUETTE EN BLANC : 5 ex au format qui sera livré, avec grammage et papier choisis en précisant les rognés, 8 semaines avant parution (soumis à l'accord de l'éditeur)

DOS CARRÉ - taqué en tête

**ATTENTION TOUTE FABRICATION EN PLUS ACCORDÉON EST REFUSÉE**

GRAMMAGE PAPIER : le grammage papier sera soumis à l'éditeur pour accord, éviter les forts grammages, encarts &gt; 2 pages.

Ce titre est imprimé sur papier PEFC. Nous souhaitons que les encarts soient imprimés sur papier certifié, non controversé (PEFC-FSC)

QUANTITÉ A LIVRER : TIRAGE + 2% de passe impératif

NORMES DE CONDITIONNEMENT : [http://www.lagardere-pub.com/info/documents/presse/normes\\_de\\_conditionnement.pdf](http://www.lagardere-pub.com/info/documents/presse/normes_de_conditionnement.pdf)*Merci de nous consulter pour toute autre demande ne répondant pas aux contraintes ci-dessous*

ENCARTS BROCHES	FORMAT (L x H)	
	MINI	MAXI
2 pages et +	110 x 150	195 X 260

FORMAT MAXI : + 10 mm de rogne en tête, + 5 mm en pied et en barbe et + 4 mm en dos

FORMAT MINI : + 10 mm de rogne en tête, + 4 mm en dos

- Encart détachable : perforations à 15 mm du dos
- Prévoir une réserve de 4 mm au dos pour les vernis

ATTENTION, vos textes et parties sensibles d'image doivent être en retrait de 10 mm

ENCARTS COLLES	FORMAT (L x H)	
	MINI	MAXI
<i>Sous réserve accord éditeur</i>		
CARTE	60 X 80	120 X 150
ECHANTILLON (Si V° noir nous consulter)	"	"
BOOKLET	"	"

*Autres formats nous consulter*

ZONE DE TOLERANCE : 10 mm dans tous les sens - POIDS MAXI : 25 g - EPAISSEUR MAXI : 2 mm

- Ne pas faire figurer d'hirondelles de placement sur les fichiers de la page pour impression.
- Les échantillons seront soumis à un essai de collage + un test de pression préalables sur 30 exemplaires minimum, au plus tard 6 semaines avant parution.

ZONE DE COLLAGE : nous consulter

**IMPERATIFS TECHNIQUES A RESPECTER POUR TOUTES OPERATIONS D'ENCARTAGE**

- 5 maquettes en blanc réalisées au format et qualité de papier choisis, pour accord technique au plus tard 8 semaines avant parution.
- Envoi d'un PDF du visuel de l'encart ou de l'emplacement du collage pour validation technique au plus tard 6 semaines avant parution.
  - Envoi de 5 encarts imprimés 1 mois avant parution
  - 30 échantillons minimum pour test et faisabilité

Aucune contestation ne pourra être prise en considération si ces conditions ne sont pas respectées.

**En raison des impératifs inhérents à l'exécution du façonnage industriel, l'encartage est garanti à hauteur de 97 % du tirage, cette tolérance de 3% est déduite de nos tarifs.****CONTACT TECHNIQUE (ceci n'est pas l'adresse de livraison des exemplaires définitifs)**

CMI MEDIA - IMMEUBLE SEXTANT  
 3-9 Avenue André Malraux - BUREAU SP 503 - 92300 LEVALLOIS PERRET  
[encarts@lagardere-pub.com](mailto:encarts@lagardere-pub.com)

## TECHNICAL SPECIFICATIONS AND COSTS FOR INSERTS 2019

### Technical Costs

Rates per 1000

BOUND INSERT	normal paper feed
	<b>7,00 €</b>
2 pages and more	
2 pages - Scent-strip® on RHP	

BOUND INSERT	flat paper feed
	<b>9,00 €</b>
Magnastrip of 4 - 24 pages	
4 pages with a sample glued in the inside	
4 pages - Scent-strip® on p2 or 3	
2 pages - Scent seal® on RHP	
2 pages - Scent seal® on LHP	
4 pages - Scent seal® on p2 or 3	
2 pages - Beautyseal® or Lipseal® on RHP or LHP	

BOUND INSERT	turn over Paper feed
	<b>18,00 €</b>
4 detachable pages or more	
2 pages - Scent-strip® on LHP	

INSERT GLUED ONTO AN ADVERT PAGE	
<i>On editor agreement</i>	
Card	<b>25,00 €</b>
4 pages and more (booklet - leaflet)	<b>Nous consulter</b>
Sample	<b>35,00 €</b>

**TECHNICAL STANDARDS**

Magazine format : **195 X 260** mm (W x H)

**WHITE DUMMY** : 5 copies at the same size, paper stock and kind of paper as the final insert. Specify the bleeds. Delivery 8 weeks before on sale date (submitted to Publisher's approval)

PERFECT BOUND - jog to the head

**ATTENTION ALL MANUFACTURING FOLDED INTO PLEATS WILL NOT BE ACCEPTED**

**PAPER STOCK**: Paper stock will be submitted to Publisher's approval, avoid heavy paper stock, inserts > 2 pages.

This magazine is printed on PEFC paper. We would like the inserts to be printed on certified paper, non-controversial ( PEFC-FSC)

**DELIVERY AMOUNT**: PRINT RUN + 2% of waste

Packaging instructions : [http://www.lagardere-pub.com/info/documents/presse/normes\\_de\\_conditionnement.pdf](http://www.lagardere-pub.com/info/documents/presse/normes_de_conditionnement.pdf)

*Please contact us regarding any other requests that are not answered by the information below*

BOUND INSERTS	FORMAT (W x H)	
	MINI	MAXI
2 pages or more	110 x 150	195 X 260

MAXIMUM FORMAT: + 10 mm of top bleed, + 5 mm of bottom bleed and foreedge bleed and + 4 mm spine grind off.

MINIMUM FORMAT: + 10 mm of top bleed, + 4 mm spine grind off

- Detachable inserts : perforations to be 15 mm from the spine
- Varnished inserts should have a gap of 4 mm from the spine

ATTENTION, for the maximum format, your texts and images should be left no nearer than 10mm from the trim edge

GLUED INSERTS	FORMAT (W x H)	
	MINI	MAXI
<i>On editor agreement</i>		
CARD	60 X 80	120 X 150
SAMPLE (if the back is black, consult us)	"	"
BOOKLET	"	"

ACCEPTED LIMITS : 10 mm in all directions - MAXIMUM WEIGHT : 25 g - MAXIMUM THICKNESS : 2 mm

- Do not include any registration marks (for the insert placement) in the file that will be printed.
- The samples will be subjected to a tip-on test and preliminary pressure-testing on a minimum of 30 samples, no later than 6 weeks before publication.

LIMITS FOR GLUING : consult us

#### REQUIRED TECHNICAL SPECIFICATIONS FOR A MECHANICALLY GLUED INSERT

- 5 white dummies in the chosen format and quality of paper, for technical approval 8 weeks before publication
- A visual PDF file of the insert or of its positioning must be sent for technical validation no later than 6 weeks before publication.
  - Sending of 5 printed inserts 1 month before on sale date
  - 30 samples for testing and feasibility

If these conditions are not met, no contestation will be taken into account.

**Owing to the necessity inherent in the execution of industrial finishing, the inserting is guaranteed to the level of 97% of the Print run, this tolerance of 3% is deducted from our prices.**

#### CONTACT (This is not the delivery address for final copies)

CMI MEDIA - IMMEUBLE SEXTANT  
 3-9 Avenue André Malraux - BUREAU SP 503 - 92300 LEVALLOIS PERRET  
[encarts@lagardere-pub.com](mailto:encarts@lagardere-pub.com)